#### For more information

**Contact** the Oregon State University Extension forester who serves your county, or contact an Oregon or federal forester.

OSU Extension, Curry County 29390 Ellensburg (Hwy 101) Gold Beach, OR 97444 541-247-6672 or 1-800-356-3986 http://extension.oregonstate.edu/curry/

Oregon Department of Forestry Brookings office: 541-469-5040 Salem Office: 503-945-7397 http://www.oregon.gov/odf/privateforests/ Pages/fh.aspx

USDA Forest Service, Pacific Northwest Region http://www.fs.usda.gov/goto/r6/fhp

Oregon Department of Agriculture http://www.oregon.gov/ODA/CID/PLANT HEALTH/sod index.shtml

#### **Informational websites** about SOD:

OSU Extension Service http://bit.ly/OakDeath

California Oak Mortality Task Force http://www.suddenoakdeath.org


USDA Agricultural and Plant Health Inspection Service (APHIS) http://www.aphis.usda.gov/plant\_health/ plant\_pest\_info/pram/regulations.shtml











## You can help STOP the spread

People can spread Phytophthora ramorum across long distances by moving infected plants either purchased at a nursery or collected in the wild, or by moving infected wood, leaves, stems, or soil.

If you live, work, recreate, or travel in the quarantined portion of Curry County, Oregon (see map, over):

- Become familiar with the most recent regulations related to Sudden Oak Death (see websites, in "For more information").
- DO NOT collect and remove host plants or plant parts from the forest (see http:// www.aphis.usda.gov/plant\_health/plant\_ pest\_info/pram/index.shtml).
- DO NOT collect or remove soil.
- Stay on established trails, and respect any trail closures.





If you travel or work in any of the 14 quarantined counties in coastal California (see map, over), follow these same rules. Don't bring *Phytophthora* ramorum into Oregon!




— and the people who depend on them!



Bleeding trunk on an infected tanoak.

## An infected rhododendron. Note

#### dead tissue at the tip and along mid-vein of the leaf.




- Clean and disinfect equipment (saws, shovels, pruning equipment, etc.) you have used in infested areas.
- Wash soil off tires, wheel wells, and the undercarriage of your vehicle.
- Clean soil off shoes, mountain bikes, horses' hooves, and pets' paws.
- For best protection, use a 10-percent bleach solution for cleaning.

Buy healthy plants from reputable nurseries.

FC 1608 • Revised March 2013

### Where is Sudden Oak Death?



Area in Curry County, Oregon, under state and federal quarantine regulation for Sudden Oak Death, as of March 2013.



California and Oregon counties with documented cases of Sudden Oak Death, as of February 2013.

© 2013 Oregon State University. Extension work is a cooperative program of Oregon State University, the U.S. Department of Agriculture, and Oregon counties. Oregon State University Extension Service offers educational programs, activities, and materials without discrimination based on age, color, disability, gender identity or expression, genetic information, marital status, national origin, race, religion, sex, sexual orientation, or veteran's status. Oregon State University Extension Service is an Equal Opportunity Employer.

EC 1608 • Revised January 2012. • Revised March 2013.



# Important points to know **Sudden Oak Death**

Tanoak killed by Sudden Oak Death.

**Sudden Oak Death is the common name** for a disease caused by *Phytophthora ramorum*, a previously unknown and presumably nonnative pathogen. At this time, no one knows where the pathogen came from or how it was introduced into Oregon.

Phytophthora ramorum has killed more than 1 million oak and tanoak trees in 14 coastal counties in California and thousands of tanoaks in Curry County, Oregon. It also causes branch and shoot dieback and leaf spotting on a large number of woodland and nursery plant species.

The pathogen has a wide host range including tanoak, California black oak, Douglas-fir, grand fir, coast redwood, Pacific madrone, Pacific rhododendron, evergreen huckleberry, and many other tree and shrub species common in Oregon and Washington forests. Hosts in the nursery trade include varieties of rhododendron, camellia, and *Pieris*. A complete, current host list is at http://www.aphis.usda.gov/plant\_health/plant\_pest\_info/pram/index.shtml

*P. ramorum* spreads naturally when clouds and rain move spores within forest canopies—from treetops to stems and shrubs below, or across landscapes from treetop to treetop. Artificial (human-assisted) spread occurs when people transport infected plants or plant parts or infested soil. The pathogen survives in infested plant material, litter, soil, and water.

**State and federal inspectors survey** forests and nurseries in Oregon regularly to detect the disease. Infected plants and adjacent host plants are destroyed in an effort to slow disease spread.

State and federal quarantine regulations are in place

to minimize the risk of new infections and prevent human-assisted spread. Complete texts of these regulations (ORS 603-052-1230 and 7 CFR 301.92) are on the Oregon Department of Agriculture and the U.S. Department of Agriculture websites (see over).



Tanoak infection (left) is revealed in the inner bark, where dark cankers indicate areas killed by P. ramorum.



Infected Douglas-fir branch tip (above) and an infected huckleberry branch (left).